

RIPPA[®]

GLOBAL RECRUITMENT DISTRIBUTORS

RIPPA **20** YEARS



RL50



RIPPA's advantages in power, efficiency, versatility and value are driven by our robust features. Our compact articulated design uses less horsepower to do most jobs-that means less surface impact and lower operating costs.

- ✔ Excellent weight to lift ratio
- ✔ increases productivity, saving time and manpower
- ✔ Minimal surface impact
- ✔ Articulated, compact design
- ✔ Low operating cost
- ✔ Easy to operate
- ✔ 360° operator visibility
- ✔ Hundreds of attachments



ENERGY SAVING AND EFFICIENT

High efficiency

Low fuel consumption and excellent productivity help you complete your tasks more economically.

Highly efficient performance


Tailor-made to meet job site requirements, tasks range from material transport and loading to general construction and stockpiling.

Easy maintenance

Our electrical and hydraulic maintenance center has additional critical maintenance functions that enable quick, simple, and efficient machine maintenance and on-site component replacement.

ECONOMICAL SAVINGS

RL50
IS YOUR WISE
CHOICE



REDUCE

OWN
FUEL

COST

Mainstream power in the industry, good economics:

The first-line brand National IV engine is equipped with a turbocharger, which is powerful and efficient. It is equipped with P, S, and E multi-state switches, which can be reasonably selected according to the working conditions, which can reasonably improve efficiency and reduce fuel consumption.



H-shaped new appearance, beautiful and elegant; Compact and flexible, one machine can be used for multiple purposes, with quick return on investment to avoid equipment being idle.



The frame has strong load-bearing capacity

The fixed-axis gearbox and the three-element single-turbine torque converter are highly reliable; the two are separated for easy maintenance. Equipped with reinforced drive axle, it has large bearing capacity and long service life.



Reinforced front and rear frames: The key stress-bearing parts are strengthened in design, with strong bearing capacity; stress concentration is eliminated, load distribution is reasonable, and the service life is long.



REASONABLE LAYOUT AND CONVENIENT MAINTENANCE

The operating space in the cab is large, the vibration damping and sealing are good, and the comfort is high; the new instrument panel has eye-catching colors, strong legibility, and is easy to understand.



The horizontal radiator has small medium flow resistance and good heat dissipation effect.



The hydraulic oil tank refueling port and torque converter oil filter are externally located for easy maintenance;



External lubrication points: The grease lubricating oil pipes are drawn out from the pin shaft and bushing, making maintenance easy.



The multi-functional display instrument can intuitively display various data of the machine, and the operator can monitor the health status of the machine through it.



The large-opening hood can be opened upward 90°, providing a large space for maintenance; the air filter and fuel filter are centrally arranged.

VARIOUS ASSISTIVE DEVICES



Quick change



snowplow



Grab a wooden fork



Fork



Bulldozer



snow shovel



4-in-1 bucket



6-in-1 bucket

SPECIFICATION



Model	RL50
Dimensions(L*W*H)	8040×3060×3400mm(317*120*134in)
Bucket Capacity	3m ³ (106 ft ³)
Rated load	5000kg(11023 lb)
Operating Weight	16600kg(36557 lb)
Max Dumping Height	3430mm(136 in)
Engine Brand/Model	WEICHAI/WP10G220E22
Number of Cylinders	6
Rated Power	162KW(217 hp)
Max. Speed	42km/h(26 mph)
Drive mode	4WD
Tyre Size	23.5-25
1*40HC Packing Quantity	1Unit

WE ARE RIPPA

Shandong Rippa Machinery Group Co., Ltd. is located in the Sixth Industrial Park, Jining high tech Zone, Shandong Province. It is a state-level high-tech enterprise with the right to import and export;

The company's staff are vigorous and enterprising, and constantly create the legend and glory of the school!

Powered by **weichai**



Shandong Rippa Machinery Group Co., Ltd.

Add: No.6 Industrial Park, Chongwen Avenue 2166, Gaoxin District, Jining City, Shandong Province

Some specifications are based on engineering measurements and may deviate from actual conditions. Specifications are for comparison purposes only and are subject to change without notice. Specifications of individual RIPPA equipment will vary based on normal variations in design, manufacturing, operating conditions and other factors. Some pictures of RIPPA equipment are not limited to standard packages.



www.rippa.com