

WE ARE RIPPA

Shandong Rippa Machinery Group Co., Ltd. is located at Guang'an Road, High-tech Zone, Jining City, Shandong Province. It is a national high-tech enterprise with the right to import and export.

The company's employees are vigorous and enterprising, constantly creating the legend and glory of Rippa!

Powered by **Kubota**



Shandong Rippa Machinery Group Co., Ltd.

Add: No. 39, Guang'an Road, Liuhang Sub-district Office, High-tech Zone, Jining City, Shandong Province.

Some specifications are based on engineering measurements and may deviate from actual conditions. Specifications are for comparison purposes only and are subject to change without notice. Specifications of individual RIPPA equipment will vary based on normal variations in design, manufacturing, operating conditions and other factors. Some pictures of RIPPA equipment are not limited to standard packages.



www.rippa.com



EXCAVATOR R57 PRO



MEET THE NEW GENERATION OF RIPPA MACHINES

Lift your business to the next level with the R57 PRO RIPPA excavators. Exceptionally powerful, yet environmentally friendly, The R57 PRO excavators feature extraordinary fuel efficiency



RAISE PROFITS, PRODUCTIVITY & FUEL EFFICIENCY

TOP PERFORMANCE IN A VERSATILE PACKAGE

A compact & powerful machine for the best adaptability to any work site. Large hydraulic capacity of a tool carrier. Works in narrow spaces thanks an ultra-compact design and boom swing.

EFFICIENCY

The new R57 PRO offer really high level of efficiency, in any application, thanks to a brand new design. The R57 PRO offers the best compactness in the market, where the R57 PRO offers the best compromise between compactness and lifting performance, when heavy lifting is needed.

MANEUVERABILITY

The smooth and precise hydraulic system can drive all the attachments needed on the construction site. The operator can control the flow proportionally. Pedal driving can be operated by manual lever without using pedals. The two travel modes can be switched at any time.



EASY MAINTENANCE

Easy access from ground level to all components, filters and refilling points. The R57 PRO was designed to be easy to keep on the job. Offers easy access to filters, fluids and all service points — including the engine, pump package, valve bank, cooling system and plumbing. Quick and easy machine diagnosis allows you to monitor critical systems in real time from the LCD monitor in the cab.

PRODUCTIVITY

Superior digging, pulling and traction forces to face all jobsites.

SAFETY

- Anti-collision net (optional)
- Powerful LED lighting with large glass door for excellent visibility
- Pilot safety lock
- ROPS cab
- OPG protective cover (optional)
- Lateral arm swing (optional)

COMFORT

low noise & vibration levels and excellent all-round visibility. Large glass door for easy access and better visibility. Fully adjustable heated air suspension seat, air conditioning with climate control as standard.

ALL-ROUND VERSATILITY AND IMPROVED FUEL EFFICIENCY



A MODEL WITH NOVEL FEATURE

- control for the hydraulic system and for the engine
- Improved ergonomics, increased comfort and excellent all-round visibility,
- Improved reliability, using high-performance materials - combined with new methods of structural stress analysis - have increased component life expectancy, thus reducing running costs
- Reduced maintenance increases the excavator's availability and lowers the operating costs

HIGHEST PERFORMANCE IN ANY WORK ENVIRONMENT

The advanced hydraulic system, combined with a powerful engine, provides the biggest digging and tractive forces for efficient operation. As a result, the R57PRO provides outstanding performance, work efficiency and the ability to adapt to any work environment

KUBOTA V2607 (EPA4/EURO 5)

The R57 PRO has a powerful and eco-friendly heart, always providing high operating efficiency and pleasant working conditions.

BOOM SWING(Optional)

The boom swing function allows you to work in very narrow areas

POWERFUL DIGGING FORCE (BUCKET)

Powerful, efficient, and with increased digging force can face every job site condition.

DOZER BLADE

Welded, unitized blade provides durability even under harsh working conditions.

DUAL-SPEED FAST AND SLOW

The fast gear is suitable for fast movement of equipment within the site, saving transition time, improving overall construction efficiency, precise control, and adapting to various working conditions



THE IDEAL WORKSPACE DESIGNED AROUND YOU

- 1 Seat
- 2 Arm rest
- 3 Left-hand work lever(joystick)
- 4 Assistive device buttons
- 5 Travel pedal
- 6 Foot vent
- 7 Defroster vent
- 8 Travel lever
- 9 Display monitor
- 10 Right-hand work lever (joystick)
- 11 Dozer lever
- 12 Cup holder
- 13 Safety lever
- 14 Starter switch
- 15 Cigarette lighter
- 16 Radio
- 17 Air conditioning panel

The cabin has been ergonomically designed with comfort in mind

The R57PRO are designed to provide you with the best possible working conditions. Its spacious interior offers a fully adjustable and comfortable seat. Comfortably seated, you have easy access to several storage compartments and a clear all-round view of the worksite. Noise and vibration levels are reduced while air conditioning allows you to maximise your productivity and return on investment.



MORE DURABILITY –LESS MAINTENANCE

A reinforced chassis provides strength, while the optimised boom shape ensures uniform load distribution for more durability. Top quality materials, the most advanced computer-aided design and endurance testing under the most demanding conditions ensure your excavator will keep on performing. The R57PRO are designed for low maintenance with longer intervals resulting in more machine availability on site while skilled RIPPA-trained technicians are available to provide extra support when needed.



MORE DURABILITY – LESS MAINTENANCE

The most advanced technology developed by RIPPA. Was integrated into the R57PRO excavators for powerful performance and simple, easy maintenance. This provides the operator with convenient maintenance check points and maximizes the R57PRO's work efficiency.



BEST MAINTENANCE ACCESS

MAINTENANCE ACCESS MADE SIMPLE

A battery cut-of switch makes it easy to disconnect the battery during long-term storage, The hour meter display can be easily checked from ground level - For extra accessibility and servicing convenience.

AIR BREATHER

It can effectively block dust, sand and other impurities in the air, prevent them from entering the engine cylinder, avoid wear and failure, and extend the life of the engine.

ENGINE ROOM

The engine compartment is designed for easier service, and the sturdy sound-proofing inside the engine cover reduces the noise to provide a more comfortable environment for the operator and those working around the machine.

TRACKS

The standard rubber tracks offer superior anti-slip and grip properties, minimizing damage to sidewalks and roads in urban environments. Optional steel tracks provide a robust structure suitable for heavy-duty conditions, supporting greater machine weight and workload while offering enhanced stability.

OIL GAUGE

Hydraulic oil level can be easily checked through the gauge on the side of the hydraulic tank.

GREASE PIPING

Integrated grease piping is designed for easy maintenance of the swing bearing and boom swing cylinder.

EXTERNAL FUEL CAP

The external lockable fuel tank cap makes refueling easier and safer. When the oil level reaches the minimum, a warning beep sounds for added convenience

ENGINE HOOD HYDRAULIC SUPPORT

No need for manual support, one-button opening saves effort and time, and improves maintenance efficiency. The hydraulic rod can firmly support the engine cover to avoid accidental falling, ensure the safety of maintenance personnel, and the support angle is reasonable, with larger inspection space, making daily maintenance and repair work smoother.



ASSISTIVE DEVICES



Breaker



Ripper



Compactor



Pile hammer



Crushing piers



Double cylinder hydraulic shears



Single cylinder crushing shear



Rotating log grapple



Screen bucket



Thickened rock bucket




Rake



Hawkbill scissors

ENVELOPE DIAGRAM



CONFIGURATION

Optional/ Additional	Cab	Standard
	AC	Standard
	Reversing camera	Optional
	Control handle	Pilot hydraulic
	Boom swing	Optional
	Bulldozer swing	Optional
	Change color	Optional
	Steel track, rubber track	Optional
	Hydraulic thumb clamp	Optional
Attachments	Quick change	Optional
	Breaker	Optional
	Ripper	Optional
	Rake	Optional
	Hydraulic wood grabber	Optional
	Mower	Optional

PARAMETER

	unit	SI	US
Basic performance parameters	Machine Operating Weight	kg / lb	5775kg / 12705lb
	Bucket Capacity	m ³ / ft ³	0.175m ³ / 6.18ft ³
	Travel Speed (Low/High Speed)	km/h / mph	0-2.4/0-3.8km/h / 0-1.5/0-2.4mph
	Climbing Ability	%	35% / 35%
	Ground Pressure	kpa / psi	35.4kpa / 5.1psi
	Maximum Digging Force	KN / lbf	32KN / 7194lbf
	Maximum Digging Radius	mm / in	6160mm / 242.7in
	Maximum Digging Depth	mm / in	3785mm / 149.12in
	Maximum Digging Height	mm / in	5810mm / 228.9in
	Maximum Unloading Height	mm / in	4080mm / 160.7in
	Maximum Deflection Angle	°	- / -
	Track Extension Range	mm / in	- / -
Engine	Engine Brand		Kubota / Kubota
	Engine Model		V2607 / V2607
	Maximum Power	kw/hp	35.5kw / 47.5hp
	Maximum Speed	rpm	2200rpm / 2200rpm
	Displacement	L / gal	2.615L / 0.69gal
	Number of Cylinders		4 / 4
	Cooling Method		Water-cooled / Water-cooled
	Engine Oil Change Quantity	L / gal	6.1L / 1.6gal
	Fuel Type		Diesel / Diesel
	Theoretical Fuel Consumption	L/h	9.72L/h / 9.72L/h
	Body	Transport Length	mm / in
Transport Width		mm / in	2000mm / 78.8in
Transport Height		mm / in	2580mm / 101.6in
Counterweight Ground Clearance		mm / in	669mm / 26.3in
Bucket Width		mm / in	600mm / 23.6in
Boom Length		mm / in	3000mm / 118.2in
Stick Length		mm / in	1600mm / 63in
Dozerf Blade Width		mm / in	1880mm / 74in
Tank	Fuel Tank	L / gal	115L / 30.4gal
	Hydraulic Oil Tank	L / gal	60L / 15.9gal
Hydraulic system	Main Pump Type/Model		Load-sensing variable displacement piston pump / 68
	Main Pump Brand		HYTEK / HYTEK
	Main Pump Maximum Flow Rate	L/min / gpm	149.6L/min / 39.5GPM
	Multi-way Valve		8-section hydraulic control multi-way valve
	Multi-way Valve Brand		HYTEK / HYTEK
	Rated Setting Pressure	Mpa/ psi	22.5MPa / 3263psi
	Maximum Setting Pressure	Mpa/ psi	25MPa / 3626psi
	Travel Hydraulic Motor Type		TM07 / TM07
	Travel Motor Brand		ZHTE / ZHTE
	Motor Displacement	ml/r	22-44ml/r / 22-44ml/r
Swing Hydraulic Motor Type		ZHTE DH80 / ZHTE DH80	
Displacement	ml/r	43.2ml/r / 43.2ml/r	